

SATO
Powered On Site /



SATO Patient Wristbands

Patient Positive ID Wristbands

satoasiapacific.com

SATO Safety Band DT Line

DT Wristbands with Adhesive Fastening for Adults

For stays in hospitals up to 1 week, soft and resistant wristbands.

Specifications

PRODUCT CHARACTERISTICS	
Printing Method	Direct thermal
Material	Anti-microbial synthetic polypropylene material
Closure Type	Adhesive closure with tamper proof system
Resistance	Water, hot water, soap, hand sanitizer, solvents
Certifications	Non Cytotoxic (ISO 10993-5), Non Skin Irritant (ISO 10993-12), Anti-microbial (ISO 22196), Latex free, Phthalates free, Iron & Iron Oxide free, REACH, Food & Food Additives, PPS free, Bisphenol A & S free

MEDIA CHARACTERISTICS	
I-Mark Position	Middle (DT); Edge (DT Narrow)
Outer Diameter	Less than 110mm
Internal Core Diameter	40mm
Packaging Specifications	160165141 100 bands/roll, 16 rolls/box 800184022 100 bands/roll, 20 rolls/box


PHYSICAL CHARACTERISTICS	
Item Number	Adult 160165141
Band Size (Adult)	292mm x 29mm
Print Area	125mm x 29mm
Item Number	Adult Narrow 800184022
Band Size (Adult Narrow)	292mm x 20mm
Print Area	132.5mm x 20mm
Available Colour	White

Layout

Adult DT



Adult DT Narrow



Copyrights

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

Limitation of Liability

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

SATO Safety Band DT Line

DT Wristbands with Adhesive Fastening for Infants

For stays in hospitals up to 1 week, soft and resistant wristbands.

Specifications

PRODUCT CHARACTERISTICS	
Printing Method	Direct thermal
Material	Anti-microbial synthetic polypropylene material
Closure Type	Adhesive closure with tamper proof system
Resistance	Water, hot water, soap, hand sanitizer, solvents
Certifications	Non Cytotoxic (ISO 10993-5), Non Skin Irritant (ISO 10993-12), Anti-microbial (ISO 22196), Latex free, Phthalates free, Iron & Iron Oxide free, REACH, Food & Food Additives, PPS free, Bisphenol A & S free

MEDIA CHARACTERISTICS	
I-Mark Position	Middle
Outer Diameter	80mm
Internal Core Diameter	40mm
Packaging Specifications	125 bands/roll, 20 rolls/box

PHYSICAL CHARACTERISTICS	
Item Number	800118153
Band Size	187.33mm x 20mm
Print Area	80mm x 20mm
Available Colour	White

Layout



Copyrights

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

Limitation of Liability

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

SATO Safety Band DT Line

DT Wristbands with Clip Fastening for Adults & Infants

For stays in hospitals up to 1 week, soft and resistant wristbands.

Specifications

PRODUCT CHARACTERISTICS	
Printing Method	Direct thermal
Material	Anti-microbial synthetic polypropylene soft material
Closure Type	Clip closure with anti-microbial soft clips
Resistance	Water, hot water, soap, hand sanitizer, solvents
Certifications	Non Cytotoxic (ISO 10993-5), Non Skin Irritant (ISO 10993-12), Anti-microbial (ISO 22196), Latex free, Phthalates free, Iron & Iron Oxide free, REACH, Food & Food Additives, PPS free, Bisphenol A & S free

MEDIA CHARACTERISTICS	
I-Mark Position	Middle
Outer Diameter	Less than 110mm
Internal Core Diameter	40mm
Packaging Specifications (Adult)	100 bands/roll, 6 rolls/box, 600 anti-microbial soft clips
Packaging Specifications (Infant)	125 bands/roll, 8 rolls/box, 1,000 anti-microbial soft clips


PHYSICAL CHARACTERISTICS	
Item Number	Adult 060007584
Band Size (Adult)	295mm x 29mm (Print Area: 112mm x 29mm)
Item Number	Infant/Child 060002722
Band Size (Infant)	170mm x 15mm (Print Area: 79mm x 15mm)
Available Colour	White

Layout

Adults



Infants/Children



Copyrights

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

Limitation of Liability

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

SATO Safety Band TT Line

TT Wristbands with Clip Fastening for Adults & Infants

For stays in hospitals longer than 1 week, extremely comfortable and resistant wristbands.

Specifications

PRODUCT CHARACTERISTICS	
Printing Method	Thermal transfer
Material	Anti-microbial soft and flexible material Emboss material for proper skin aeration
Closure Type	Anti-microbial clip closure
Resistance	Water, hot water, soap, hand sanitizer, betadine, ethyl alcohol, cleansing oil
Certifications	Non Cytotoxic (ISO 10993-5), Non Sensitizer (ISO 10993-10), Non Skin Irritant (ISO 10993-12), Anti-microbial (ISO 22196), Latex free, Phthalates free, Iron & Iron Oxide free, REACH, Food & Food Additives, PPS free, Bisphenol A & S free

MEDIA CHARACTERISTICS	
I-Mark Position	Middle
Ribbon	Security ribbon to make the reading of patient information harder
Packaging Specifications	Adult: 75 bands/roll, 8 rolls/box, 600 anti-microbial soft clips Infant: 125 bands/roll, 8 rolls/box, 1,000 anti-microbial soft clips

PHYSICAL CHARACTERISTICS		
Band Size (Adult)	293mm x 15mm (Narrow Type) 293mm x 30mm (Large Type)	Item No: Adult Narrow 0600025XX Item No: Adult Large 0600026XX
Band Size (Infant)	170mm x 15mm (Narrow Type) 170mm x 27mm (Large Type)	Item No: Infant Narrow 06000272X Item No: Infant Large 06000277X
Available Colour	White, Yellow, Blue, Pink, Green (Adult); White, Pink Rabbit, Blue Star (Infant)	

Layouts

Adults/Infants/Children



Infants (Narrow Type)



Copyrights

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

Limitation of Liability

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

SATO Safety Band TT Line

TT Wristbands with Clip Fastening for Mothers & Babies

The All-in-One secure solution for mothers and infants. RFID wristband for patient identification & tracking.


Specifications

PRODUCT CHARACTERISTICS	
Printing Method	Thermal transfer
Material	Anti-microbial soft and flexible material Emboss material for proper skin aeration
Closure Type	Anti-microbial clip closure
Resistance	Water, hot water, soap, hand sanitizer, betadine, ethyl alcohol, cleansing oil
Certifications	Non Cytotoxic (ISO 10993-5), Non Sensitizer (ISO 10993-10), Non Skin Irritant (ISO 10993-12), Anti-microbial (ISO 22196), Latex free, Phthalates free, Iron & Iron Oxide free, REACH, Food & Food Additives, PPS free, Bisphenol A & S free

MEDIA CHARACTERISTICS	
Sensor	Hole
All-in-One	1 wristband (for mother) and 2 wristbands (for baby) attached together
Ribbon	Security ribbon to make the reading of patient information harder
Packaging Specifications	75 bands/roll, 8 rolls/box, 600 soft clips for mothers and 1,200 extra soft clips for babies

PHYSICAL CHARACTERISTICS	
Item Number	060007541
Band Size (Total)	340mm x 40mm
Band Size (Adult)	274mm x 17mm (Print Area: 105mm x 15mm)
Band Size (Infant)	160mm x 11mm (Print Area: 55mm x 9mm)
Available color	White - Pink - Yellow

Layout



Copyrights

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

Limitation of Liability

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

RFID wristband for patient identification & tracking.


Specifications

PRODUCT CHARACTERISTICS	
Printing Method	Direct thermal
Material	Anti-microbial synthetic polypropylene material
Closure Type	Adhesive closure with tamper proof system
Resistance	Water, hot water, soap, hand sanitizer, solvents
Certifications	Non Cytotoxic (ISO 10993-5), Non Skin Irritant (ISO 10993-12), Anti-microbial (ISO 22196), Latex free, Phthalates free, Iron & Iron Oxide free, REACH, Food & Food Additives, PPS free, Bisphenol A & S free
MEDIA CHARACTERISTICS	
RFID Standard	EPC Class1 Gen2, ISO/IEC 18000-6
Operating Frequency	UHF 860-960MHz
Chip	NXP Ucode 8
IC Memory Size	EPC memory: 128bits, User memory: none
Black I-mark	Yes, near edge
Packaging Specifications	75 bands/roll, 16 rolls/box
Use Environment	5°C to 40°C, 40% to 80%RH
Storage	0 °C to 40°C, 30% to 80%RH
PHYSICAL CHARACTERISTICS	
Item Number	162016371
Band Size	355.6mm x 29mm
RFID Inlay Size	56mm x 29 mm
Print Area	124mm x 29mm
Available Color	White
PERFORMANCE DATA	
Read Range (As Reference)	Around 2m*1, up to 10m*2
Encoding Times	~100,000
Data Retention	Up to 50 years

Read Range (As Reference)

*1 When it is worn on wrist. *2 When it is not in contact with anything.
Depends on device, circumstance, frequency, etc.

Layout



Copyrights

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

Limitation of Liability

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.



satoasiapacific.com



SATO CT4-LX-HC Printer
Recommended for printing SATO TT Wristbands



SATO WS2 Printer
Recommended for printing SATO DT Wristbands

All information in this leaflet is accurate as of 2025 Dec.
Product specifications are subject to change without notice.
Any unauthorized reproduction of the contents of this leaflet, in part or whole, is strictly prohibited.
All other software, product or company names are trademarks or registered trademarks of their respective owners.

SATO
Powered **On Site** /